

During the period of 26 – 30 August 2024, ENEA (LEI code: 549300UNMLWLG6B2R803) has purchased its own shares (ISIN SE00 0969 7220) as set out below. The repurchases took place on Nasdaq Stockholm and were executed by DNB Markets, a part of DNB Bank ASA, Sweden branch on behalf of the issuer.

| 2024-08-26 | | | | | | | |
|------------------|---------------------------|-------|--|--|--------------|--------|--------|
| Time | Volume (number of shares) | Price | Aggregated daily volume (Number of shares) | Weighted average share price per day (SEK) | Buyer/Seller | Symbol | Broker |
| 2024-08-26 09:26 | 145 | 88,3 | | | B | ENEA | MSET |
| 2024-08-26 10:04 | 12 | 88,6 | | | B | ENEA | MSET |
| 2024-08-26 10:48 | 135 | 89 | | | B | ENEA | MSET |
| 2024-08-26 11:03 | 144 | 88,5 | | | B | ENEA | MSET |
| 2024-08-26 11:12 | 84 | 88,6 | | | B | ENEA | MSET |
| 2024-08-26 11:29 | 134 | 88,9 | | | B | ENEA | MSET |
| 2024-08-26 11:29 | 11 | 88,9 | | | B | ENEA | MSET |
| 2024-08-26 11:32 | 152 | 88,9 | | | B | ENEA | MSET |
| 2024-08-26 11:42 | 152 | 88,9 | | | B | ENEA | MSET |
| 2024-08-26 11:42 | 13 | 88,9 | | | B | ENEA | MSET |
| 2024-08-26 11:54 | 4 | 88,9 | | | B | ENEA | MSET |
| 2024-08-26 11:54 | 132 | 88,9 | | | B | ENEA | MSET |
| 2024-08-26 12:09 | 142 | 90 | | | B | ENEA | MSET |
| 2024-08-26 12:27 | 69 | 89,6 | | | B | ENEA | MSET |
| 2024-08-26 12:35 | 163 | 90 | | | B | ENEA | MSET |
| 2024-08-26 12:36 | 148 | 90 | | | B | ENEA | MSET |
| 2024-08-26 12:48 | 141 | 90 | | | B | ENEA | MSET |
| 2024-08-26 13:00 | 156 | 90,2 | | | B | ENEA | MSET |
| 2024-08-26 13:14 | 145 | 90,1 | | | B | ENEA | MSET |
| 2024-08-26 13:27 | 136 | 90,3 | | | B | ENEA | MSET |
| 2024-08-26 13:27 | 136 | 90,3 | | | B | ENEA | MSET |
| 2024-08-26 13:42 | 35 | 90,4 | | | B | ENEA | MSET |
| 2024-08-26 13:42 | 7 | 90,4 | | | B | ENEA | MSET |
| 2024-08-26 13:42 | 5 | 90,4 | | | B | ENEA | MSET |
| 2024-08-26 13:42 | 115 | 90,4 | | | B | ENEA | MSET |
| 2024-08-26 13:53 | 45 | 90,4 | | | B | ENEA | MSET |
| 2024-08-26 13:53 | 111 | 90,4 | | | B | ENEA | MSET |
| 2024-08-26 14:02 | 138 | 90,4 | | | B | ENEA | MSET |
| 2024-08-26 14:12 | 50 | 90,4 | | | B | ENEA | MSET |
| 2024-08-26 14:12 | 88 | 90,4 | | | B | ENEA | MSET |
| 2024-08-26 14:19 | 162 | 90,4 | | | B | ENEA | MSET |
| 2024-08-26 14:30 | 147 | 90,4 | | | B | ENEA | MSET |
| 2024-08-26 14:41 | 66 | 90,3 | | | B | ENEA | MSET |
| 2024-08-26 15:01 | 65 | 90,5 | | | B | ENEA | MSET |
| 2024-08-26 15:01 | 76 | 90,5 | | | B | ENEA | MSET |
| 2024-08-26 15:11 | 55 | 90,5 | | | B | ENEA | MSET |
| 2024-08-26 15:11 | 100 | 90,5 | | | B | ENEA | MSET |
| 2024-08-26 15:11 | 6 | 90,5 | | | B | ENEA | MSET |
| 2024-08-26 15:31 | 8 | 90,5 | | | B | ENEA | MSET |
| 2024-08-26 15:31 | 100 | 90,5 | | | B | ENEA | MSET |
| 2024-08-26 15:31 | 46 | 90,5 | | | B | ENEA | MSET |
| 2024-08-26 15:43 | 150 | 90,5 | | | B | ENEA | MSET |
| 2024-08-26 15:50 | 159 | 90,5 | | | B | ENEA | MSET |
| 2024-08-26 16:15 | 163 | 90,7 | | | B | ENEA | MSET |
| 2024-08-26 16:15 | 138 | 90,7 | | | B | ENEA | MSET |
| 2024-08-26 16:32 | 5 | 90,7 | | | B | ENEA | MSET |
| 2024-08-26 16:37 | 161 | 90,8 | | | B | ENEA | MSET |
| 2024-08-26 16:51 | 59 | 90,8 | | | B | ENEA | MSET |
| 2024-08-26 16:51 | 81 | 90,8 | | | B | ENEA | MSET |
| 2024-08-26 16:54 | 151 | 90,7 | | | B | ENEA | MSET |
| 2024-08-26 17:00 | 154 | 90,5 | 5000 | 90,0222 | B | ENEA | MSET |
| 2024-08-27 | | | | | | | |
| 2024-08-27 09:09 | 157 | 90 | | | B | ENEA | MSET |
| 2024-08-27 09:22 | 150 | 89,9 | | | B | ENEA | MSET |

| | | | | | | | |
|------------------|---------------------------|-------|--|--|--------------|--------|--------|
| 2024-08-27 10:10 | 95 | 90,4 | | | B | ENEA | MSET |
| 2024-08-27 10:10 | 30 | 90,4 | | | B | ENEA | MSET |
| 2024-08-27 10:10 | 23 | 90,4 | | | B | ENEA | MSET |
| 2024-08-27 10:16 | 135 | 90,1 | | | B | ENEA | MSET |
| 2024-08-27 10:16 | 138 | 90 | | | B | ENEA | MSET |
| 2024-08-27 10:53 | 4 | 90,4 | | | B | ENEA | MSET |
| 2024-08-27 10:53 | 6 | 90,4 | | | B | ENEA | MSET |
| 2024-08-27 10:53 | 127 | 90,4 | | | B | ENEA | MSET |
| 2024-08-27 10:55 | 73 | 90 | | | B | ENEA | MSET |
| 2024-08-27 11:08 | 114 | 90,3 | | | B | ENEA | MSET |
| 2024-08-27 12:11 | 158 | 90 | | | B | ENEA | MSET |
| 2024-08-27 13:10 | 112 | 90,1 | | | B | ENEA | MSET |
| 2024-08-27 13:10 | 34 | 90,1 | | | B | ENEA | MSET |
| 2024-08-27 14:37 | 112 | 90,1 | | | B | ENEA | MSET |
| 2024-08-27 14:37 | 47 | 90,1 | | | B | ENEA | MSET |
| 2024-08-27 14:52 | 123 | 89,8 | | | B | ENEA | MSET |
| 2024-08-27 15:16 | 16 | 90,1 | | | B | ENEA | MSET |
| 2024-08-27 15:16 | 112 | 90,1 | | | B | ENEA | MSET |
| 2024-08-27 15:16 | 11 | 90,1 | | | B | ENEA | MSET |
| 2024-08-27 15:19 | 136 | 90 | | | B | ENEA | MSET |
| 2024-08-27 15:19 | 135 | 90 | | | B | ENEA | MSET |
| 2024-08-27 15:37 | 112 | 90 | | | B | ENEA | MSET |
| 2024-08-27 15:37 | 25 | 90 | | | B | ENEA | MSET |
| 2024-08-27 16:53 | 163 | 89,9 | | | B | ENEA | MSET |
| 2024-08-27 16:53 | 4 | 89,9 | | | B | ENEA | MSET |
| 2024-08-27 16:53 | 132 | 89,9 | 2484 | 90,0550 | B | ENEA | MSET |
| 2024-08-28 | | | | | | | |
| Time | Volume (number of shares) | Price | Aggregated daily volume (Number of shares) | Weighted average share price per day (SEK) | Buyer/Seller | Symbol | Broker |
| 2024-08-28 10:15 | 151 | 89,5 | | | B | ENEA | MSET |
| 2024-08-28 10:21 | 135 | 89 | | | B | ENEA | MSET |
| 2024-08-28 12:34 | 52 | 89,1 | | | B | ENEA | MSET |
| 2024-08-28 15:36 | 85 | 89,1 | | | B | ENEA | MSET |
| 2024-08-28 15:49 | 135 | 89 | | | B | ENEA | MSET |
| 2024-08-28 16:06 | 36 | 88,8 | | | B | ENEA | MSET |
| 2024-08-28 16:06 | 104 | 88,8 | | | B | ENEA | MSET |
| 2024-08-28 16:44 | 136 | 88,7 | | | B | ENEA | MSET |
| 2024-08-28 17:04 | 45 | 88,1 | | | B | ENEA | MSET |
| 2024-08-28 17:06 | 359 | 88,1 | 1238 | 88,7228 | B | ENEA | MSET |
| 2024-08-29 | | | | | | | |
| Time | Volume (number of shares) | Price | Aggregated daily volume (Number of shares) | Weighted average share price per day (SEK) | Buyer/Seller | Symbol | Broker |
| 2024-08-29 09:09 | 37 | 87,9 | | | B | ENEA | MSET |
| 2024-08-29 09:11 | 144 | 87,9 | | | B | ENEA | MSET |
| 2024-08-29 09:11 | 129 | 87,8 | | | B | ENEA | MSET |
| 2024-08-29 09:30 | 20 | 87,2 | | | B | ENEA | MSET |
| 2024-08-29 09:35 | 133 | 87,2 | | | B | ENEA | MSET |
| 2024-08-29 09:35 | 118 | 87 | | | B | ENEA | MSET |
| 2024-08-29 09:55 | 149 | 87,3 | | | B | ENEA | MSET |
| 2024-08-29 10:17 | 60 | 87,2 | | | B | ENEA | MSET |
| 2024-08-29 10:17 | 152 | 87,2 | | | B | ENEA | MSET |
| 2024-08-29 10:31 | 140 | 87,7 | | | B | ENEA | MSET |
| 2024-08-29 10:40 | 134 | 87,4 | | | B | ENEA | MSET |
| 2024-08-29 11:11 | 134 | 87 | | | B | ENEA | MSET |
| 2024-08-29 11:33 | 27 | 88,1 | | | B | ENEA | MSET |
| 2024-08-29 11:35 | 140 | 88 | | | B | ENEA | MSET |
| 2024-08-29 11:35 | 138 | 88,1 | | | B | ENEA | MSET |
| 2024-08-29 11:58 | 35 | 88,2 | | | B | ENEA | MSET |
| 2024-08-29 11:58 | 100 | 88,2 | | | B | ENEA | MSET |

| | | | | | | | |
|------------------|-----|------|------|---------|---|------|------|
| 2024-08-29 12:22 | 5 | 88,8 | | | B | ENEA | MSET |
| 2024-08-29 12:23 | 145 | 88,8 | | | B | ENEA | MSET |
| 2024-08-29 12:29 | 116 | 88,7 | | | B | ENEA | MSET |
| 2024-08-29 12:29 | 42 | 88,7 | | | B | ENEA | MSET |
| 2024-08-29 13:02 | 158 | 89,2 | | | B | ENEA | MSET |
| 2024-08-29 13:48 | 115 | 89,4 | | | B | ENEA | MSET |
| 2024-08-29 13:57 | 136 | 89,6 | | | B | ENEA | MSET |
| 2024-08-29 13:57 | 134 | 89,5 | | | B | ENEA | MSET |
| 2024-08-29 14:11 | 146 | 89,5 | | | B | ENEA | MSET |
| 2024-08-29 14:23 | 142 | 89 | | | B | ENEA | MSET |
| 2024-08-29 14:23 | 146 | 89,2 | | | B | ENEA | MSET |
| 2024-08-29 14:32 | 142 | 88,2 | | | B | ENEA | MSET |
| 2024-08-29 15:05 | 91 | 88,8 | | | B | ENEA | MSET |
| 2024-08-29 15:12 | 155 | 88,7 | | | B | ENEA | MSET |
| 2024-08-29 15:31 | 33 | 89,3 | | | B | ENEA | MSET |
| 2024-08-29 15:31 | 84 | 89,3 | | | B | ENEA | MSET |
| 2024-08-29 15:32 | 143 | 89,3 | | | B | ENEA | MSET |
| 2024-08-29 15:39 | 57 | 89,4 | | | B | ENEA | MSET |
| 2024-08-29 15:39 | 81 | 89,4 | | | B | ENEA | MSET |
| 2024-08-29 15:40 | 113 | 89,2 | | | B | ENEA | MSET |
| 2024-08-29 15:40 | 172 | 89,2 | | | B | ENEA | MSET |
| 2024-08-29 16:07 | 21 | 89,3 | | | B | ENEA | MSET |
| 2024-08-29 16:07 | 144 | 89,3 | | | B | ENEA | MSET |
| 2024-08-29 16:07 | 121 | 89,3 | | | B | ENEA | MSET |
| 2024-08-29 16:20 | 144 | 89 | | | B | ENEA | MSET |
| 2024-08-29 16:41 | 51 | 89 | | | B | ENEA | MSET |
| 2024-08-29 16:41 | 13 | 89 | | | B | ENEA | MSET |
| 2024-08-29 16:41 | 83 | 89 | | | B | ENEA | MSET |
| 2024-08-29 16:53 | 116 | 88,9 | | | B | ENEA | MSET |
| 2024-08-29 16:55 | 82 | 89 | | | B | ENEA | MSET |
| 2024-08-29 16:55 | 79 | 89 | 5000 | 88,5552 | B | ENEA | MSET |
| | | | | | | | |

2024-08-30

| Time | Volume (number of shares) | Price | Aggregated daily volume (Number of shares) | Weighted average share price per day (SEK) | Buyer/Seller | Symbol | Broker |
|------------------|---------------------------|-------|--|--|--------------|--------|--------|
| 2024-08-30 09:25 | 110 | 88,9 | | | B | ENEA | MSET |
| 2024-08-30 10:14 | 112 | 88,9 | | | B | ENEA | MSET |
| 2024-08-30 10:14 | 17 | 88,9 | | | B | ENEA | MSET |
| 2024-08-30 10:39 | 126 | 88,9 | | | B | ENEA | MSET |
| 2024-08-30 11:19 | 143 | 88,7 | | | B | ENEA | MSET |
| 2024-08-30 11:29 | 130 | 88,4 | | | B | ENEA | MSET |
| 2024-08-30 11:32 | 50 | 88,2 | | | B | ENEA | MSET |
| 2024-08-30 12:06 | 384 | 88,6 | | | B | ENEA | MSET |
| 2024-08-30 12:06 | 272 | 88,6 | | | B | ENEA | MSET |
| 2024-08-30 12:08 | 37 | 88,3 | | | B | ENEA | MSET |
| 2024-08-30 12:09 | 28 | 88,2 | | | B | ENEA | MSET |
| 2024-08-30 12:17 | 126 | 88,3 | | | B | ENEA | MSET |
| 2024-08-30 12:56 | 126 | 89,7 | | | B | ENEA | MSET |
| 2024-08-30 13:00 | 153 | 90 | | | B | ENEA | MSET |
| 2024-08-30 13:06 | 143 | 90 | | | B | ENEA | MSET |
| 2024-08-30 13:19 | 78 | 90 | | | B | ENEA | MSET |
| 2024-08-30 13:19 | 27 | 90 | | | B | ENEA | MSET |
| 2024-08-30 13:32 | 84 | 90,1 | | | B | ENEA | MSET |
| 2024-08-30 13:37 | 151 | 90,2 | | | B | ENEA | MSET |
| 2024-08-30 13:41 | 150 | 89,8 | | | B | ENEA | MSET |
| 2024-08-30 13:52 | 133 | 89,7 | | | B | ENEA | MSET |
| 2024-08-30 14:12 | 145 | 89,5 | | | B | ENEA | MSET |
| 2024-08-30 14:42 | 256 | 89,3 | | | B | ENEA | MSET |
| 2024-08-30 14:42 | 77 | 89,3 | | | B | ENEA | MSET |
| 2024-08-30 15:07 | 11 | 90,2 | | | B | ENEA | MSET |
| 2024-08-30 15:22 | 304 | 90,3 | | | B | ENEA | MSET |
| 2024-08-30 15:22 | 171 | 90,3 | | | B | ENEA | MSET |

| | | | | | | | |
|------------------|-----|------|------|---------|---|------|------|
| 2024-08-30 15:23 | 216 | 90 | | | B | ENEA | MSET |
| 2024-08-30 15:42 | 25 | 89,9 | | | B | ENEA | MSET |
| 2024-08-30 15:56 | 99 | 89,9 | | | B | ENEA | MSET |
| 2024-08-30 16:28 | 16 | 90 | | | B | ENEA | MSET |
| 2024-08-30 16:44 | 7 | 90,3 | | | B | ENEA | MSET |
| 2024-08-30 16:51 | 289 | 90,3 | | | B | ENEA | MSET |
| 2024-08-30 16:51 | 371 | 90,3 | 4567 | 89,5241 | B | ENEA | MSET |